



MoGua

Uzi 0.2.19.APK 分析报告



APP名称:

Uzi

包名:	com.sjzxd.lan
域名线索:	14条
URL线索:	28条
邮箱线索:	14条
分析日期:	2025年8月4日
分析平台:	摸瓜APK反编译平台

文件名: uzi0.219.apk
文件大小: 151.28MB
MD5值: 15a8cd437feca31966c186d2c7fcbcc8
SHA1值: 75e0f1b307c0c7ad8c39cba528fbce7c0cda7d4d
SHA256值: f821e2602e36917cfc8bce271c2a358027d032161020772b30329911ec6d9189

i APP 信息

App名称: Uzi
包名: com.sjxd.lan
主活动Activity: com.main.app.WelcomeActivity
安卓版本名称: 0.2.19
安卓版本: 219

🔍 域名线索

域名	服务器信息
ieeexplore.ieee.org	IP: 18.65.25.38 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052570 经度: -118.243904
tbs.imtt.qq.com	IP: 116.131.225.199 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
cfg.imtt.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin

	城市: Tianjin 纬度: 39.142181 经度: 117.176102
mdc.html5.qq.com	IP: 125.39.196.199 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.openssl.org	IP: 34.49.79.89 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
pms.mb.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
bugs.llvm.org	IP: 54.67.122.174 所属国家: United States of America 地区: California 城市: San Jose 纬度: 37.339390 经度: -121.894958
www.slf4j.org	IP: 195.15.222.169 所属国家: Switzerland 地区: Geneve 城市: Carouge 纬度: 46.180931 经度: 6.138709
openmp.llvm.org	IP: 54.67.122.174 所属国家: United States of America 地区: California 城市: San Jose 纬度: 37.339390 经度: -121.894958
log.tbs.qq.com	IP: 124.95.224.248 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
aip.baidubce.com	IP: 111.206.210.12 所属国家: China 地区: Beijing 城市: Beijing

纬度: 39.907501
经度: 116.397102

URL线索

URL信息	Url所在文件
https://github.com/TooTallNate/Java-WebSocket/wiki/Lost-connection-detection	Ilil/I1I/IL1Iii.java
http://www.slf4j.org/codes.html	Ilil/p044IL/I1I.java
https://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java
https://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/k.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=50079	com/tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/mh?channel_id=50079&u=	com/tencent/smtt/sdk/stat/MttLoader.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utils/o.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utils/o.java
https://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utils/o.java
https://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utils/o.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utils/o.java

https://tbs.imtt.qq.com/plugin/DebugPlugin_v2.tbs	com/tencent/smtt/utls/d.java
http://aip.baidubce.com/oauth/2.0/token?grant_type=client_credentials&client_id=	lib/arm64-v8a/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/general_basic?access_token=	lib/arm64-v8a/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/accurate?access_token=	lib/arm64-v8a/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/accurate_basic?access_token=	lib/arm64-v8a/libengine.so
https://www.openssl.org/docs/faq.html	lib/arm64-v8a/libengine.so
https://github.com/ocornut/imgui/blob/master/docs/FAQ.md	lib/arm64-v8a/libimgui.so
http://openmp.llvm.org/	lib/arm64-v8a/libncnn.so
https://bugs.llvm.org/	lib/arm64-v8a/libncnn.so
https://ieeexplore.ieee.org/document/1163711	lib/arm64-v8a/libonnxruntime.so
https://github.com/opencv/opencv/issues/16739	lib/arm64-v8a/libopencv_java4.so
https://github.com/opencv/opencv/issues/5412	lib/arm64-v8a/libopencv_java4.so
https://github.com/opencv/opencv/issues/19634	lib/arm64-v8a/libopencv_java4.so
http://aip.baidubce.com/oauth/2.0/token?grant_type=client_credentials&client_id=	lib/armeabi-v7a/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/general_basic?access_token=	lib/armeabi-v7a/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/accurate?access_token=	lib/armeabi-v7a/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/accurate_basic?access_token=	lib/armeabi-v7a/libengine.so

https://www.openssl.org/docs/faq.html	lib/armeabi-v7a/libengine.so
https://github.com/ocornut/imgui/blob/master/docs/FAQ.md	lib/armeabi-v7a/libimgui.so
http://openmp.llvm.org/	lib/armeabi-v7a/libncnn.so
https://bugs.llvm.org/	lib/armeabi-v7a/libncnn.so
https://ieeexplore.ieee.org/document/1163711	lib/armeabi-v7a/libonnxruntime.so
https://github.com/opencv/opencv/issues/16739	lib/armeabi-v7a/libopencv_java4.so
https://github.com/opencv/opencv/issues/5412	lib/armeabi-v7a/libopencv_java4.so
https://github.com/opencv/opencv/issues/19634	lib/armeabi-v7a/libopencv_java4.so
http://aip.baidubce.com/oauth/2.0/token?grant_type=client_credentials&client_id=	lib/x86/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/general_basic?access_token=	lib/x86/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/accurate?access_token=	lib/x86/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/accurate_basic?access_token=	lib/x86/libengine.so
https://www.openssl.org/docs/faq.html	lib/x86/libengine.so
https://github.com/ocornut/imgui/blob/master/docs/FAQ.md	lib/x86/libimgui.so
http://openmp.llvm.org/	lib/x86/libncnn.so
https://bugs.llvm.org/	lib/x86/libncnn.so
https://ieeexplore.ieee.org/document/1163711	lib/x86/libonnxruntime.so
https://github.com/opencv/opencv/issues/16739	lib/x86/libopencv_java4.so

https://github.com/opencv/opencv/issues/5412.	lib/x86/libopencv_java4.so
https://github.com/opencv/opencv/issues/19634	lib/x86/libopencv_java4.so
http://aip.baidubce.com/oauth/2.0/token?grant_type=client_credentials&client_id=	lib/x86_64/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/general_basic?access_token=	lib/x86_64/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/accurate?access_token=	lib/x86_64/libengine.so
https://aip.baidubce.com/rest/2.0/ocr/v1/accurate_basic?access_token=	lib/x86_64/libengine.so
https://www.openssl.org/docs/faq.html	lib/x86_64/libengine.so
https://github.com/ocornut/imgui/blob/master/docs/FAQ.md	lib/x86_64/libimgui.so
http://openmp.llvm.org/	lib/x86_64/libncnn.so
https://bugs.llvm.org/.	lib/x86_64/libncnn.so
https://ieeexplore.ieee.org/document/1163711	lib/x86_64/libonnxruntime.so
https://github.com/opencv/opencv/issues/16739	lib/x86_64/libopencv_java4.so
https://github.com/opencv/opencv/issues/5412.	lib/x86_64/libopencv_java4.so
https://github.com/opencv/opencv/issues/19634	lib/x86_64/libopencv_java4.so

 邮箱线索

邮箱地址	所在文件

javamail@sun.com	com/sun/mail/imap/IMAPFolder.java
x5tbs@tencent.com	com/tencent/smtt/sdk/X5Downloader.java
ftp@example.com	lib/arm64-v8a/libengine.so
yay@y.u5vcghyy 6h@fo.lwft w9oi_2nhels4u@dlilycclghl.5jlcg_bqh	lib/arm64-v8a/libocrapi.so
yay@y.u5vcghyy 6h@fo.lwft w9oi_2nhels4u@dlilycclghl.5jlcg_bqh	lib/arm64-v8a/libtscolor.so
ftp@example.com	lib/armeabi-v7a/libengine.so
yay@y.u5vcghyy 6h@fo.lwft w9oi_2nhels4u@dlilycclghl.5jlcg_bqh	lib/armeabi-v7a/libocrapi.so
yay@y.u5vcghyy 6h@fo.lwft w9oi_2nhels4u@dlilycclghl.5jlcg_bqh	lib/armeabi-v7a/libtscolor.so
ftp@example.com	lib/x86/libengine.so
yay@y.u5vcghyy 6h@fo.lwft w9oi_2nhels4u@dlilycclghl.5jlcg_bqh	lib/x86/libocrapi.so
yay@y.u5vcghyy 6h@fo.lwft w9oi_2nhels4u@dlilycclghl.5jlcg_bqh	lib/x86/libtscolor.so
ftp@example.com	lib/x86_64/libengine.so
yay@y.u5vcghyy 6h@fo.lwft	lib/x86_64/libocrapi.so

0n@fo.lwft w9oi_2nhels4u@dlilycclglhl.5jlcg_bqh	lib/x86_64/libtscolor.so
yay@y.u5vcghyy 6h@fo.lwft w9oi_2nhels4u@dlilycclglhl.5jlcg_bqh	lib/x86_64/libtscolor.so

手机线索

签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: True
找到 1 个唯一证书
主题: C=US, ST=California, L=Mountain View, O=Android, OU=Android, CN=Android, E=android@android.com
签名算法: rsassa_pkcs1v15
有效期自: 2008-02-29 01:33:46+00:00
有效期至: 2035-07-17 01:33:46+00:00
发行人: C=US, ST=California, L=Mountain View, O=Android, OU=Android, CN=Android, E=android@android.com
序列号: 0x936eacbe07f201df
哈希算法: sha1
md5值: e89b158e4bcf988ebd09eb83f5378e87
sha1值: 61ed377e85d386a8dfee6b864bd85b0bfaa5af81
sha256值: a40da80a59d170caa950cf15c18c454d47a39b26989d8b640ecd745ba71bf5dc
sha512值: 5216ccb62004c4534f35c780ad7c582f4ee528371e27d4151f0553325de9ccbe6b34ec4233f5f640703581053abfea303977272d17958704d89b7711292a4569
公钥算法: rsa
密钥长度: 2048
指纹: f9f32662753449dc550fd88f1ed90e94b81adef9389ba16b89a6f3579c112e75

硬编码敏感信息

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	正常		应用程序必须持有的权限才能使用 Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS。
android.permission.SYSTEM_OVERLAY_WINDOW	未知	Unknown permission	Unknown permission from android reference
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕

android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.CHANGE_WIFI_MULTICAST_STATE	正常	允许Wi-Fi多播接收	允许应用程序接收不是直接发送到您设备的数据包。这在发现附近提供的服务时很有用。它比非多播模式使用更多的功率
android.permission.READ_SMS	危险	阅读短信或彩信	允许应用程序读取存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会读取您的机密信息
android.permission.SEND_SMS	危险	发送短信	允许应用程序发送 SMS 消息。恶意应用程序可能会在未经您确认的情况下发送消息,从而使您付出代价
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字

android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_UPDATES	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。

android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.BROADCAST_STICKY	正常	发送粘性广播	允许应用程序发送粘性广播,在广播结束后保留。恶意应用程序会导致手机使用过多内存,从而使手机运行缓慢或不稳定
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.WRITE_INTERNAL_STORAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_INTERNAL_STORAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_USER_DICTIONARY	危险	读取用户定义词典	允许应用程序读取用户可能存储在用户字典中的任何私人单词,名称和短语
android.permission.ACCESS_MTK_MMHW	未知	Unknown permission	Unknown permission from android reference
android.permission.SAMSUNG_TUNTAP	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人（地址）数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.ACCESS_SUPERUSER	未	Unknown	Unknown permission from android reference

	知	permission	
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
android.permission.USB_PERMISSION	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_SCAN	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_ADVERTISE	未知	Unknown permission	Unknown permission from android reference

应用内通信