



MoGua

Letstalk 2.9.74.APK 分析报告



APP名称:

Letstalk

包名: com.onelab.securecomm

域名线索: 68条

URL线索: 36条

邮箱线索: 2条

分析日期: 2025年5月3日

分析平台: [摸瓜APK反编译平台](#)

文件名: adown.apk
文件大小: 87.03MB
MD5值: 6925f5b64dec668f8b61b0fd4053da90
SHA1值: e72840e27b2a27c61b2456511caa296acc922210
SHA256值: 34fc32f723d50fb09b5c04b92094718eff7212bc16cff4a011a43573eaa6afe7

i APP 信息

App名称: Letstalk
包名: com.onelab.securecomm
主活动Activity: com.onelab.securecomm.ui2.view.InitialActivity
安卓版本名称: 2.9.74
安卓版本: 493

🔍 域名线索

域名	服务器信息
www.dropbox.com	IP: 108.160.163.108 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
play.google.com	IP: 8.7.198.46 所属国家: United States of America 地区: Louisiana 城市: Monroe 纬度: 32.548328 经度: -92.045235
www.ietf.org	IP: 104.16.45.99 所属国家: United States of America 地区: Texas

	城市: Dallas 纬度: 32.783058 经度: -96.806671
.css	没有服务器地理信息.
prdelb.mezengerapp.net	IP: 104.18.4.215 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
staging.biataalk.com	IP: 13.209.150.44 所属国家: Korea (Republic of) 地区: Seoul-teukbyeolsi 城市: Seoul 纬度: 37.568260 经度: 126.977829
github.com	IP: 20.205.243.166 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
www.googleapis.com	IP: 142.251.42.234 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.world	IP: 34.215.69.216 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523449

	经度: -122.676208
www.webrtc.org	IP: 172.217.160.110 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
api.giphy.com	IP: 151.101.42.2 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.text-decoration	没有服务器地理信息.
bjuser.jpsh.cn	IP: 122.9.9.94 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
stg-api-gateway.biataalk.com	没有服务器地理信息.
portal.letstalkapp.net	没有服务器地理信息.
stg-jitsi.biataalk.cc	IP: 104.16.133.7 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
schemas.android.com	没有服务器地理信息.

www.hortcut	没有服务器地理信息.
mezenger.biataalk.cc	没有服务器地理信息.
www.recent	没有服务器地理信息.
mechat888.com	没有服务器地理信息.
prdelb.mezenger.net	IP: 104.18.14.79 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.language	没有服务器地理信息.
mezenger-tempfile.biataalk.cc	没有服务器地理信息.
pocacc1.biataalk.com	没有服务器地理信息.
c-hzgt2.getui.com	IP: 124.160.127.213 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
letstalkprod.firebaseio.com	IP: 34.120.160.131 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
	IP: 54.64.155.113 所属国家: Japan

releasenote.letstalkapp.net	地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
filestg.biataalk.cc	IP: 104.16.134.7 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
publicobject.com	IP: 54.187.32.157 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523449 经度: -122.676208
file.mezengerapp.net	IP: 104.18.5.215 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.style	IP: 44.234.243.2 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523449 经度: -122.676208
d-gt.getui.com	没有服务器地理信息.
fileservice.mezengerapp.net	IP: 104.18.5.215 所属国家: United States of America 地区: California 城市: San Francisco

	纬度: 37.775700 经度: -122.395203
o7tzbhskwf.biataalk.cc	IP: 104.16.134.7 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.letstalk.net	IP: 104.17.183.95 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
otr.cypherpunks.ca	IP: 198.96.155.5 所属国家: Canada 地区: Ontario 城市: Waterloo 纬度: 43.466801 经度: -80.516388
.jpg	没有服务器地理信息.
www.a	没有服务器地理信息.
poc1.biataalk.com	没有服务器地理信息.
tools.ietf.org	IP: 50.223.129.194 所属国家: United States of America 地区: Georgia 城市: Marietta 纬度: 33.952599 经度: -84.549927
	IP: 52.219.16.42

s3-ap-northeast-1.amazonaws.com	所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
www.c	没有服务器地理信息.
signaling.mezengerapp.net	IP: 104.18.5.215 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.w3.org	IP: 104.18.23.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.years	没有服务器地理信息.
fileservice.mezenger.net	IP: 104.18.14.79 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
file.mezenger.net	IP: 104.18.15.79 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mezenger-meeting.biataalk.cc	没有服务器地理信息.

www.icon	没有服务器地理信息.
mezenger-signaling.biataalk.cc	没有服务器地理信息.
sdk.open.phone.igexin.com	IP: 183.131.7.116 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
stagingum.biataalk.com	没有服务器地理信息.
www.wencodeuricomponent	没有服务器地理信息.
ls3.mezengerapp.net	IP: 104.18.5.215 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.lia	没有服务器地理信息.
www.interpretation	没有服务器地理信息.
crbug.com	IP: 216.239.32.29 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
aomediacodec.github.io	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California

	纬度: 40.065632 经度: -79.891708
mezenger-featurefile.biataalk.cc	没有服务器地理信息.
mezenger-file.biataalk.cc	没有服务器地理信息.
www.css	没有服务器地理信息.
journeyapps.com	IP: 18.65.168.24 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
staging-singaling.biataalk.com	IP: 3.37.73.29 所属国家: Korea (Republic of) 地区: Seoul-teukbyeolsi 城市: Seoul 纬度: 37.568260 经度: 126.977829
persistencestg.biataalk.cc	IP: 104.16.134.7 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
note.mezenger.net	IP: 104.18.15.79 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 120.46.154.158 所属国家: China

tsis.jpsh.cn	地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
staging-portalv2.biataalk.com	IP: 43.201.122.11 所属国家: Australia 地区: Queensland 城市: Brisbane 纬度: -27.467939 经度: 153.028091

 URL线索

URL信息	Url所在文件
http://dictionaryperceptionrevolutionfoundationpx;height:successfultsupportersmillenniumhis	org/brotli/dec/Dictionary.java
http://mathematicsmargin-top:eventually	org/brotli/dec/Dictionary.java
http://Descriptionrelatively	org/brotli/dec/Dictionary.java
http://applicationslink\	org/brotli/dec/Dictionary.java
http://navigation\	org/brotli/dec/Dictionary.java
http://px;	org/brotli/dec/Dictionary.java
https://www.World	org/brotli/dec/Dictionary.java
http://www.years	org/brotli/dec/Dictionary.java
http://interested	org/brotli/dec/Dictionary.java

http://familiar	org/brotli/dec/Dictionary.java
https://was	org/brotli/dec/Dictionary.java
https://aln	org/brotli/dec/Dictionary.java
http://whether	org/brotli/dec/Dictionary.java
http://interpreted	org/brotli/dec/Dictionary.java
http://\	org/brotli/dec/Dictionary.java
http://);	org/brotli/dec/Dictionary.java
http://addEventListenerresponsible	org/brotli/dec/Dictionary.java
http://.jpg	org/brotli/dec/Dictionary.java
http://<a	org/brotli/dec/Dictionary.java
https://<div	org/brotli/dec/Dictionary.java
http://according	org/brotli/dec/Dictionary.java
http://www.interpretation	org/brotli/dec/Dictionary.java
http://s;text-align:centerfont-weight:	org/brotli/dec/Dictionary.java
http://html4/loose.dtd\	org/brotli/dec/Dictionary.java
http://style=\	org/brotli/dec/Dictionary.java
http://staticsuggested	org/brotli/dec/Dictionary.java
http://www.a	org/brotli/dec/Dictionary.java

http://An	org/brotli/dec/Dictionary.java
https://www.recent	org/brotli/dec/Dictionary.java
http://In	org/brotli/dec/Dictionary.java
http://www./div></div><div	org/brotli/dec/Dictionary.java
http://cript\	org/brotli/dec/Dictionary.java
http://\n<script	org/brotli/dec/Dictionary.java
http://www.wencodeURIComponent(\	org/brotli/dec/Dictionary.java
http://encoding=\	org/brotli/dec/Dictionary.java
http://www.icon\	org/brotli/dec/Dictionary.java
http://imEnglish	org/brotli/dec/Dictionary.java
http://i	org/brotli/dec/Dictionary.java
http://www. <a	org/brotli/dec/Dictionary.java
http://site_name\	org/brotli/dec/Dictionary.java
http://www.hortcut	org/brotli/dec/Dictionary.java
http:// <li	org/brotli/dec/Dictionary.java
http://<div	org/brotli/dec/Dictionary.java
http://iparticipation	org/brotli/dec/Dictionary.java

http://www.\	org/brotli/dec/Dictionary.java
http://www.w3.org/shortcut	org/brotli/dec/Dictionary.java
http://xt/css\	org/brotli/dec/Dictionary.java
http://link	org/brotli/dec/Dictionary.java
http://www.text-decoration:underthe	org/brotli/dec/Dictionary.java
http://option><option	org/brotli/dec/Dictionary.java
http://www<a	org/brotli/dec/Dictionary.java
http://w	org/brotli/dec/Dictionary.java
http://.css\	org/brotli/dec/Dictionary.java
http://www.style=\	org/brotli/dec/Dictionary.java
http://www.css\	org/brotli/dec/Dictionary.java
http://ator\	org/brotli/dec/Dictionary.java
http://www.language=\	org/brotli/dec/Dictionary.java
http://www-//W3C//DTD	org/brotli/dec/Dictionary.java
http://UA-Compatible\	org/brotli/dec/Dictionary.java
http://www.C//DTD	org/brotli/dec/Dictionary.java
http://www.	org/brotli/dec/Dictionary.java
https://tools.ietf.org/html/rfc7518	io/jsonwebtoken/SignatureAlgorithm.java

https://tools.ietf.org/html/rfc7518	io/jsonwebtoken/security/Keys.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/rxjava3/exceptions/UndeliverableException.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/rxjava3/exceptions/OnErrorNotImplementedException.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Flowable.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextView.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifViewUtils.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextureView.java
https://tsis.jppush.cn	cn/jiguang/ae/i.java
https://bjuser.jppush.cn/v1/appawake/status	cn/jiguang/ab/b.java
https://api.giphy.com	com/giphy/sdk/core/network/api/Constants.java
https://www.dropbox.com/upgrade?oqa=upeaoq	com/dropbox/core/android/DbxOfficialAppConnector.java
https://www.googleapis.com/auth/drive.appdata	com/onelab/securecomm/ui2/view/DriveQuickstart.java
https://www.googleapis.com/auth/drive.file	com/onelab/securecomm/ui2/view/ChatBackupActivity.java

https://www.googleapis.com/auth/drive.appdata	com/onelab/securecomm/ui2/view/ChatBackupActivity.java
https://www.letstalk.net/detect.html?info=	com/onelab/securecomm/ui2/view/ChatroomSettingActivity.java
https://www.googleapis.com/auth/drive.file	com/onelab/securecomm/ui2/view/RestorePasswordActivity.java
https://www.googleapis.com/auth/drive.appdata	com/onelab/securecomm/ui2/view/RestorePasswordActivity.java
https://www.googleapis.com/auth/drive.file	com/onelab/securecomm/ui2/view/ChatRestoreActivity.java
https://www.googleapis.com/auth/drive.appdata	com/onelab/securecomm/ui2/view/ChatRestoreActivity.java
https://fileservice.mezengerapp.net/Marketing/config/bank.json	com/onelab/securecomm/ui2/view/util/Tools.java
https://fileservice.mezengerapp.net/Marketing/config/sun_num.json	com/onelab/securecomm/ui2/view/util/Tools.java
https://fileservice.mezengerapp.net/Marketing/i18n/zht.json	com/onelab/securecomm/ui2/view/util/Tools.java
https://fileservice.mezengerapp.net/Marketing/ad/android_img_newyear.png	com/onelab/securecomm/ui2/view/util/Tools.java
https://fileservice.mezengerapp.net/Marketing/ad/android_img_newyear_open.png	com/onelab/securecomm/ui2/view/util/Tools.java
https://www.letstalk.net/support/question/542?label=huawei	com/onelab/securecomm/ui2/view/util/Tools.java
https://www.letstalk.net/support/question/542?label=asus	com/onelab/securecomm/ui2/view/util/Tools.java
https://www.letstalk.net/support/question/542?label=oppo	com/onelab/securecomm/ui2/view/util/Tools.java
https://www.letstalk.net/support/question/542?label=samsung	com/onelab/securecomm/ui2/view/util/Tools.java
https://www.letstalk.net/support/question/542?label=vivo	com/onelab/securecomm/ui2/view/util/Tools.java
https://www.letstalk.net/support/question/542?label=xiaomi	com/onelab/securecomm/ui2/view/util/Tools.java
https://www.letstalk.net/support/question/542?label=htc	com/onelab/securecomm/ui2/view/util/Tools.java

https://publicobject.com/helloworld.txt	com/onelab/securecomm/api/okhttp/Progress.java
https://play.google.com/store/apps/details?hl=en&id=com.onelab.securecomm	com/onelab/securecomm/ui/util/DialogUtil.java
https://s3-ap-northeast-1.amazonaws.com/persistencestg.biataalk.cc/UserPhoto/avatar_multicall.png	com/onelab/securecomm/ui/util/ConstantUtil.java
https://www.letstalk.net/support/question/542?label=	com/onelab/securecomm/ui/util/ConstantUtil.java
http://mechat888.com\	com/onelab/securecomm/ui/util/ConstantUtil.java
http://mechat888.com/	com/onelab/securecomm/ui/util/ServerConstant.java
https://prdelb.mezenger.net	com/onelab/securecomm/ui/util/ServerConstant.java
https://pocacc1.biataalk.com	com/onelab/securecomm/ui/util/ServerConstant.java
https://stg-api-gateway.biataalk.com	com/onelab/securecomm/ui/util/ServerConstant.java
https://mezenger.biataalk.cc	com/onelab/securecomm/ui/util/ServerConstant.java
https://prdelb.mezengerapp.net	com/onelab/securecomm/ui/util/ServerConstant.java
https://staging.biataalk.com	com/onelab/securecomm/ui/util/ServerConstant.java
https://file.mezengerapp.net/test.txt	com/onelab/securecomm/ui/util/ServerConstant.java
https://file.mezenger.net/test.txt	com/onelab/securecomm/ui/util/ServerConstant.java
https://ls3.mezengerapp.net/%s/	com/onelab/securecomm/ui/util/ServerConstant.java
https://mezenger-file.biataalk.cc/%s/	com/onelab/securecomm/ui/util/ServerConstant.java
https://releasenote.letstalkapp.net/ReleaseNotes/android/v%s.html	com/onelab/securecomm/ui/util/ServerConstant.java

http://poc1.biataalk.com/ReleaseNotes/android/v%s.html	com/onelab/securecomm/ui/util/ServerConstant.java
https://www.letstalk.net/privacy	com/onelab/securecomm/ui/util/ServerConstant.java
http://poc1.biataalk.com/PrivacyPolicy.html	com/onelab/securecomm/ui/util/ServerConstant.java
https://releasenote.letstalkapp.net/PrivacyPolicy.html	com/onelab/securecomm/ui/util/ServerConstant.java
https://www.letstalk.net/support?menuId=542&	com/onelab/securecomm/ui/util/ServerConstant.java
https://staging-portalv2.biataalk.com/support?menuId=542&	com/onelab/securecomm/ui/util/ServerConstant.java
https://mezenger.biataalk.cc/support?menuId=542&	com/onelab/securecomm/ui/util/ServerConstant.java
http://portal.letstalkapp.net/Service/v1/status	com/onelab/securecomm/ui/util/ServerConstant.java
http://poc1.biataalk.com/Service/v1/status	com/onelab/securecomm/ui/util/ServerConstant.java
https://stagingum.biataalk.com/Service/v1/status	com/onelab/securecomm/ui/util/ServerConstant.java
https://mezenger.biataalk.cc/Service/v1/status	com/onelab/securecomm/ui/util/ServerConstant.java
https://file.mezengerapp.net/file/	com/onelab/securecomm/ui/util/ServerConstant.java
https://filestg.biataalk.cc/file/	com/onelab/securecomm/ui/util/ServerConstant.java
https://mezenger-tempfile.biataalk.cc/file/	com/onelab/securecomm/ui/util/ServerConstant.java
https://file.mezenger.net/file/	com/onelab/securecomm/ui/util/ServerConstant.java
https://fileservice.mezengerapp.net/	com/onelab/securecomm/ui/util/ServerConstant.java
https://persistencestg.biataalk.cc/	com/onelab/securecomm/ui/util/ServerConstant.java
https://mezenger-file.biataalk.cc/	com/onelab/securecomm/ui/util/ServerConstant.java

https://fileservice.mezenger.net/	com/onelab/securecomm/ui/util/ServerConstant.java
https://note.mezenger.net/	com/onelab/securecomm/ui/util/ServerConstant.java
https://s3-ap-northeast-1.amazonaws.com/notestg.biataalk.cc/	com/onelab/securecomm/ui/util/ServerConstant.java
https://mezenger-featurefile.biataalk.cc/	com/onelab/securecomm/ui/util/ServerConstant.java
https://www.letstalk.net/apk/Letstalk_	com/onelab/securecomm/ui/util/ServerConstant.java
https://signaling.mezengerapp.net	com/onelab/securecomm/ui/util/ServerConstant.java
https://staging-singaling.biataalk.com	com/onelab/securecomm/ui/util/ServerConstant.java
https://mezenger-signaling.biataalk.cc	com/onelab/securecomm/ui/util/ServerConstant.java
https://o7tzbhskwf.biataalk.cc	com/onelab/securecomm/ui/util/ServerConstant.java
https://stg-jitsi.biataalk.cc	com/onelab/securecomm/ui/util/ServerConstant.java
https://mezenger-meeting.biataalk.cc	com/onelab/securecomm/ui/util/ServerConstant.java
https://sdk.open.phone.igexin.com/api.php	com/igexin/push/a.java
http://c-hzgt2.getui.com/api.php	com/igexin/push/a.java
https://d-gt.getui.com/api.htm	com/igexin/push/a.java
http://bi.	com/igexin/push/config/g.java
http://config.	com/igexin/push/config/g.java
http://bi.	com/igexin/push/config/b.java

http://config.	com/igexin/push/config/b.java
http://otr.cypherpunks.ca/>.	net/java/otr4j/io/OtrInputStream.java
http://otr.cypherpunks.ca/	net/java/otr4j/io/OtrInputStream.java
http://otr.cypherpunks.ca/>.	net/java/otr4j/io/IOTest\$EncodedMessageTextSample.java
http://otr.cypherpunks.ca/	net/java/otr4j/io/IOTest\$EncodedMessageTextSample.java
http://otr.cypherpunks.ca/>.	net/java/otr4j/message/EncodedMessageTextSample.java
http://otr.cypherpunks.ca/	net/java/otr4j/message/EncodedMessageTextSample.java
https://www.letstalk.net,	Mogua Engine V1
https://www.letstalk.net/	Mogua Engine V1
https://letstalkprod.firebaseio.com	Mogua Engine V1
https://journeyapps.com/	Mogua Engine V1
https://github.com/journeyapps/zxing-android-embedded	Mogua Engine V1
https://www.letstalk.net/dl/?lang=zhs	Mogua Engine V1
https://crbug.com/1053756	lib/x86/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/abs-send-time	lib/x86/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/abs-capture-time	lib/x86/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/video-content-type	lib/x86/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/video-timing	lib/x86/libjingle_peerconnection_so.so

http://www.webrtc.org/experiments/rtp-hdrext/generic-frame-descriptor-00	lib/x86/libjingle_peerconnection_so.so
https://aomediacodec.github.io/av1-rtp-spec/	lib/x86/libjingle_peerconnection_so.so
http://www.ietf.org/id/draft-holmer-rmcat-transport-wide-cc-extensions-01	lib/x86/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/transport-wide-cc-02	lib/x86/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/playout-delay	lib/x86/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/color-space	lib/x86/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/inband-cn	lib/x86/libjingle_peerconnection_so.so

 邮箱线索

邮箱地址	所在文件
support@dropbox.com	com/dropbox/core/android/AuthActivity.java
service@letstalk.net	Mogua Engine V1

 手机线索

手机号	所在文件
13846158196	com/haibin/calendarview/SolarTermUtil.java
17471680261	com/haibin/calendarview/SolarTermUtil.java

18826691036	com/haibin/calendarview/SolarTermUtil.java
14159265359	com/haibin/calendarview/SolarTermUtil.java
13446589358	com/haibin/calendarview/SolarTermUtil.java
19870156017	com/haibin/calendarview/SolarTermUtil.java
19846674381	com/haibin/calendarview/SolarTermUtil.java
17387749012	com/haibin/calendarview/SolarTermUtil.java
13516237631	com/haibin/calendarview/SolarTermUtil.java
17882652114	com/haibin/calendarview/SolarTermUtil.java
18914945834	com/haibin/calendarview/SolarTermUtil.java
16832995016	com/haibin/calendarview/SolarTermUtil.java
18288615346	Mogua Engine V2
15259216907	Mogua Engine V2
15259216907	Mogua Engine V2
19199999641	Mogua Engine V2
18288615346	Mogua Engine V2
15259216907	Mogua Engine V2
15259216907	Mogua Engine V2

15259216907	Mogua Engine V2
19199999641	Mogua Engine V2
15259216907	Mogua Engine V2
18288615346	Mogua Engine V2
15259216907	Mogua Engine V2

签名证书

APK is signed
v1 signature: True
v2 signature: True
v3 signature: False
Found 1 unique certificates
Subject: ST=Taiwan, O=GRD, OU=Mobile App, CN=Onelab
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2014-12-05 07:28:51+00:00
Valid To: 2039-11-29 07:28:51+00:00
Issuer: ST=Taiwan, O=GRD, OU=Mobile App, CN=Onelab
Serial Number: 0x6a629bf0
Hash Algorithm: sha256
md5: 8733a8e2f833c4772b3cb5a27006e861
sha1: a79edc2975e53b54d1bfe7fb20a8c086e71f4051
sha256: 1b3fa816e483dd5c6a9a1585c41a7df3493f436544766131d78af88d00c79054
sha512: ece11ffb8b4016f80b469b13474056b0a3ea90aa3329a683e7076be0a1f720790f2e4e30fd4b6579986ad129d1ebb7c93e27ea5e18e80cbf97af3ea302d72c70
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: 8ee9167b8b05543402b1cbabd2b676b08ad1c93f6b5dbe4ba695f0ad325d0e9f

硬编码敏感信息

可能的敏感信息
"chat_privately" : "Chat Privately"
"dropbox_app_key" : ""
"firebase_database_url" : "https://letstalkprod.firebaseio.com"
"google_api_key" : "AlzaSyDOWn_DFutKljWRdMEIW0pxYJJA1lx0Ai4"
"google_crash_reporting_api_key" : "AlzaSyDOWn_DFutKljWRdMEIW0pxYJJA1lx0Ai4"
"google_maps_key" : "AlzaSyBXFykpgcgvdO5Spk5-gHHRTvWOLTsa31k"
"info_keep_private" : "You will not be listed on Friend Recommendations on your phone contact's %s app."
"item_enter_app_lock_pwd" : "Please enter App Lock password to open Safe Box"
"item_forget_password" : "Forgot Password"
"item_incorrect_password" : "Incorrect Password"
"item_no_password" : "No Password"
"item_password" : "password"
"item_safebox_pwd_is_removed" : "Safe Box password is now the same as App Lock, please enter App Lock password to open Safe Box"
"item_safebox_pwd_is_sync_to_app_lock" : "Safe Box password is now the same as App Lock, please enter App Lock password to open Safe Box and %s"
"item_secret_chat" : "Secret Chat (%d)"
"item_suspicious_user" : "Suspicious User"

"japp_key" : "b021bd4fdbf814150116406b"
"keep_private_from_phone_contacts" : "Keep Private from Phone Contacts"
"library_zxingandroidembedded_author" : "JourneyApps"
"library_zxingandroidembedded_authorWebsite" : "https://journeyapps.com/"
"no_key_friend" : "User has not logged in to %1\$s yet, %2\$s is unable to encrypt your messages and calls."
"safebox_password" : "Safe Box Password"
"safebox_reset_password" : "Reset password"
"safebox_set_password" : "Set %s server password"
"secret_base_desc" : "A hideout that belongs to you! Arrange your notes, calendar and many more functions.The new communication experience! Come check it out!"
"secret_base_title" : "Personal hideout"
"set_password" : "Set Password"
"chat_privately" : "私下聊天"
"info_keep_private" : "不會在你手機聯絡人的 %s 推薦好友列表中顯示你的 ID。"
"item_enter_app_lock_pwd" : "請輸入 App 鎖定密碼 以開啟保險箱"
"item_forget_password" : "忘記備份聊天記錄的密碼？ "
"item_incorrect_password" : "密碼錯誤"
"item_no_password" : "未設密碼"
"item_password" : "輸入密碼"

"item_safebox_pwd_is_removed" : "保險箱密碼已與 App 鎖定密碼同步，請輸入 App 鎖定密碼 以開啟保險箱"
"item_safebox_pwd_is_sync_to_app_lock" : "保險箱密碼已與 App 鎖定密碼同步，請設定 App 鎖定密碼 以鎖定保險箱及%s"
"item_secret_chat" : "密聊 (%d)"
"item_suspicious_user" : "可疑用戶"
"keep_private_from_phone_contacts" : "從好友推薦中隱藏"
"no_key_friend" : "使用者尚未登入過 %s， %s 無法對加密你的訊息與通話。"
"safebox_password" : "保險箱密碼"
"safebox_reset_password" : "重設密碼"
"safebox_set_password" : "設定 %s 伺服器密碼"
"secret_base_desc" : "專屬於你的秘密基地！記事、安排時程眾多功能給你全新聊天軟體體驗，立馬操作看看吧！"
"secret_base_title" : "秘密基地"
"set_password" : "設定密碼"
"chat_privately" : "Chat Privately"
"info_keep_private" : "คุณจะไม่ถูกแสดงในแนะนำเพื่อนบน %s ของคนในรายชื่อผู้ติดต่อทางโทรศัพท์ของคุณ"
"item_enter_app_lock_pwd" : "โปรดป้อนรหัสผ่านของแอปล็อคเพื่อเปิดตู้เซฟ"
"item_forget_password" : "ลืมรหัสผ่าน"
"item_incorrect_password" : "รหัสผ่านไม่ถูกต้อง"

"item_no_password" : "ไม่มีรหัสผ่าน"
"item_password" : "รหัสผ่าน"
"item_safebox_pwd_is_removed" : "รหัสผ่านตู้เซฟตอนนี้เหมือนกับล็อคแอปโปรดป้อนรหัสผ่านล็อคแอปเพื่อเปิดตู้เซฟ"
"item_safebox_pwd_is_sync_to_app_lock" : "รหัสผ่านตู้เซฟตอนนี้เหมือนกับแอปล็อคโปรดป้อนรหัสผ่านแอปล็อคเพื่อเปิดตู้เซฟและ %s"
"item_secret_chat" : "แชทลับ (%d)"
"item_suspicious_user" : "Suspicious User"
"keep_private_from_phone_contacts" : "คงความเป็นส่วนตัวจากรายชื่อผู้ติดต่อทางโทรศัพท์"
"no_key_friend" : "ผู้ใ้ใช้ยังไม่ได้เข้าใช้งาน %s,%s ยังไม่สามารถเข้ารหัสข้อความและการโทรได้"
"safebox_password" : "รหัสผ่านตู้เซฟ"
"safebox_reset_password" : "รีเซ็ตรหัสผ่าน"
"safebox_set_password" : "ตั้งรหัสผ่านเซิร์ฟเวอร์ %s"
"secret_base_desc" : "A hideout that belongs to you! Arrange your notes, calendar and many more functions.The new communication experience! Come check it out!"
"secret_base_title" : "Personal hideout"
"set_password" : "ตั้งรหัสผ่าน"
"chat_privately" : "วီးသန့်စကားပြောမည်"
"info_keep_private" : "သင့်၏ဖုန်းဖုန်းအဆက်အသွယ်များ၏ %s Appတွင်သင့်အားသူငယ်ချင်းအကြံပြုချက်များစာရင်းတွင်သင့်စာရင်းသွင်းမည်မဟုတ်ပါ။"
"item_enter_app_lock_pwd" : "ကျေးဇူးပြု၍လုံခြုံရေးသေတ္တာ ကိုဖွင့်ရန် App သေတ္တာ စကားဝှက်ကိုရုဒါ"
"item_forget_password" : "စကားဝှက်ကိုမေ့နေပါသလား"

"item_incorrect_password" : "စကားဝှက်မမှန်ကန်ပါ။"
"item_no_password" : "စကားဝှက်မရှိပါ။"
"item_password" : "စကားဝှက်"
"item_safebox_pwd_is_removed" : "ယခုအခါလုံခြုံရေးသေတ္တာ စကားဝှက်သည် Appသော နှင့်အတူတူဖြစ်သည်။ ကျေးဇူးပြု၍လုံခြုံရေးသေတ္တာ ကိုဖွင့်ရန် Appသော စကားဝှက်ကိုရေးပါ"
"item_safebox_pwd_is_sync_to_app_lock" : "ယခုအခါလုံခြုံရေးသေတ္တာစကားဝှက်သည် App သော နှင့်အတူတူဖြစ်သည်။ ကျေးဇူးပြု၍လုံခြုံရေးသေတ္တာ နှင့် %s ကိုဖွင့်ရန် Appသောစကားဝှက်ကိုရေးပါ"
"item_secret_chat" : "လျှို့ဝှက်စကားပြောခန်း (%d)"
"item_suspicious_user" : "သံသယဖြစ်ဖွယ်အသုံးပြုသူ"
"keep_private_from_phone_contacts" : "အခြားသူများကျွန်ုပ်ကို ထည့်ရန်ခွင့်ပြုသည်။"
"no_key_friend" : "အသုံးပြုသူသည် %s သို့မဝင်ရသေးပါ။ %s သည်သင်၏မက်ဆေ့ချ်များနှင့်ခေါ်ဆိုမှုများကိုစကားဝှက် ဖြင့်မကာကွယ်နိုင်ပါ။"
"safebox_password" : "လုံခြုံရေးသေတ္တာစကားဝှက်"
"safebox_reset_password" : "စကားဝှက်အသစ်သတ်မှတ်ပါ"
"safebox_set_password" : "%s ဆာဗာ စကားဝှက်ကိုသတ်မှတ်ပါ"
"secret_base_desc" : "သင့်အတွက်လျှို့ဝှက်နေရာ! မှတ်စုများ၊ ပြက္ခဒိန်နှင့်အခြားအရာများစွာ၏လုပ်ဆောင်ချက်အတွေ့အကြုံအသစ်များကိုချက်ချင်းစမ်းသပ်ကြည့်ကြစို့!"
"secret_base_title" : "လျှို့ဝှက်နေရာ"
"set_password" : "စကားဝှက်ကိုသတ်မှတ်ပါ။"
"chat_privately" : "成员私聊"
"info_keep_private" : "不会在你手机联络人的 %s 推荐好友列表中显示你的 ID。"

"item_enter_app_lock_pwd" : "请输入 App 锁定密码以开启保险箱"
"item_forget_password" : "忘记备份聊天记录密码？ "
"item_incorrect_password" : "密码错误"
"item_no_password" : "未设密码"
"item_password" : "输入密码"
"item_safebox_pwd_is_removed" : "保险箱密码已与 App 锁定密码同步，请输入 App 锁定密码 以开启保险箱"
"item_safebox_pwd_is_sync_to_app_lock" : "保险箱密码已与 App 锁定密码同步，请设定 App 锁定密码 以锁定保险箱及%s"
"item_secret_chat" : "密聊 (%d)"
"item_suspicious_user" : "可疑用户"
"keep_private_from_phone_contacts" : "从好友推荐中隐藏"
"no_key_friend" : "使用者尚未登入过 %s， %s 无法对加密你的讯息与通话。 "
"safebox_password" : "保险箱密码"
"safebox_reset_password" : "重设密码"
"safebox_set_password" : "设定 %s 伺服器密码"
"secret_base_desc" : "专属于你的秘密基地！ 记事、安排时程众多功能给你全新聊天软体体验， 立马操作看看吧！ "
"secret_base_title" : "秘密基地"
"set_password" : "设定密码"

"chat_privately" : "Cho phép các thành viên trò chuyện riêng"
"info_keep_private" : "Tài khoản %s của bạn sẽ không nằm trong danh sách gợi ý kết bạn."
"item_enter_app_lock_pwd" : "Vui lòng nhập mật khẩu Khóa Ứng Dụng để mở Hộp Bảo Mật"
"item_forget_password" : "Quên mật khẩu"
"item_incorrect_password" : "Sai mật khẩu"
"item_no_password" : "Không mật khẩu"
"item_password" : "Mật khẩu"
"item_safebox_pwd_is_removed" : "Mật khẩu Hộp Bảo Mật hiện giống với Khóa Ứng Dụng, vui lòng nhập mật khẩu Khóa Ứng Dụng để mở Hộp Bảo Mật"
"item_safebox_pwd_is_sync_to_app_lock" : "Mật khẩu Hộp Bảo Mật hiện giống với Khóa ứng dụng, vui lòng nhập mật khẩu Khóa ứng dụng để mở Hộp Bảo Mật và %s"
"item_secret_chat" : "Tạo Phòng Chat Bí Mật (%d)"
"item_suspicious_user" : "Người dùng đáng ngờ"
"keep_private_from_phone_contacts" : "Giữ tài khoản riêng tư"
"no_key_friend" : "Người này hiện chưa đăng nhập %s, %s không thể mã hóa tin nhắn và cuộc gọi của bạn."
"safebox_password" : "Mật khẩu hộp bảo mật"
"safebox_reset_password" : "Đặt lại mật khẩu"
"safebox_set_password" : "Thiết lập mật khẩu cho máy chủ %s"
"secret_base_desc" : "Đây là không gian của riêng bạn! Bạn có thể sắp xếp ghi chú, lịch, và còn nhiều chức năng khác nữa. Mời bạn tận hưởng trải nghiệm trò chuyện mới!!"
"secret_base_title" : "Không gian bí mật"

"set_password" : "Đặt mật khẩu"
"chat_privately" : "Chat Privately"
"info_keep_private" : "連絡帳の友達の%sの推薦リストにあなたのIDを表示しません。"
"item_enter_app_lock_pwd" : "Please enter App Lock password to open Safe Box"
"item_forget_password" : "パスワードをお忘れですか？ "
"item_incorrect_password" : "パスワードが間違っています"
"item_no_password" : "パスワードを設定していません"
"item_password" : "パスワード"
"item_safebox_pwd_is_removed" : "Safe Box password is now the same as App Lock, please enter App Lock password to open Safe Box"
"item_safebox_pwd_is_sync_to_app_lock" : "Safe Box password is now the same as App Lock, please enter App Lock password to open Safe Box and %s"
"item_secret_chat" : "秘密チャット (%d)"
"item_suspicious_user" : "Suspicious User"
"keep_private_from_phone_contacts" : "非表示"
"no_key_friend" : "相手がまだ%sにログインしていないため、%s はメッセージと通話の暗号化に失敗しました。"
"safebox_password" : "保険箱ロック"
"safebox_reset_password" : "パスワードの再設定"
"safebox_set_password" : "%s サーバーのパスワードを設定する"

"secret_base_desc": "あなただけの秘密基地！記事やスケジュールなど様々な機能がありますので、全新のチャットアプリの体験を提供してくれます。すぐに操作してみてください。"
"secret_base_title": "秘密基地"
"set_password": "パスワードを設定"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
	未	Unknown	

com.onelab.securecomm.permission.JPUSH_MESSAGE	知	permission	Unknown permission from android reference
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
com.google.android.c2dm.permission.RECEIVE	合法	C2DM 权限	云到设备消息传递的权限

android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.MANAGE_OWN_CALLS	正常		允许调用应用程序通过自我管理的 ConnectionService API 管理自己的调用
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.ANSWER_PHONE_CALLS	危险		允许应用接听来电。
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	正常		应用程序必须持有的权限才能使用 Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS。
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.WRITE_EXTERNAL_STORAGE	危	读取/修改/删除外部存储内	允许应用程序写入外部存储

	风险	内容	
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人（地址）数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BROADCAST_STICKY	正常	发送粘性广播	允许应用程序发送粘性广播,在广播结束后保留。恶意应用程序会导致手机使用过多内存,从而使手机运行缓慢或不稳定
com.onelab.securecomm.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.ACCESS_MEDIA_LOCATION	危险	访问的任何地理位置	允许应用程序访问的任何地理位置持久保存在用户的共享集合
getui.permission.GetuiService.com.onelab.securecomm	未知	Unknown permission	Unknown permission from android reference
com.google.android.providers.gsf.permission.READ_GSERVICES	未知	Unknown	Unknown permission from android reference

	知	permission	
android.permission.WRITE_CALENDAR	危险	添加或修改日历事件并向客人发送电子邮件	允许应用程序添加或更改日历上的事件,这可能会向客人发送电子邮件。恶意应用程序可以使用它来删除或修改您的日历活动或向客人发送电子邮件
android.permission.READ_CALENDAR	危险	读取日历事件	允许应用程序读取您手机上存储的所有日历事件。恶意应用程序可以借此将您的日历事件发送给其他人
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。

com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.onelab.securecomm.ui2.view.InitialActivity	Schemes: letstalk://, https://, http://, Hosts: www.letstalk.net, Mime Types: audio/*, image/*, video/*, text/plain, application/*, Paths: /detect.html,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。